

Dr James Britton

Consultant dermatologist

Ozone Health

Clinical partnership

Dermatology:

■ Malignancy

Melanocytes

- Atypical naevus sy
- Lentigo maligna
- Melanoma in situ
- Malignant melanoma

Squamous cells

- Actinic keratoses
- Bowens disease
- Squamous cell carcinoma

Basal cells

- Basal cell carcinoma

■ Benign

Lesions

- Seborrheic warts
- Naevi
- Cysts
- Warts
- Dermatoses

Features

- Pigment
- Erythema
- Scale
- Ulceration
- Tumour (nodule)
- Edge

■ Rashes

Tissue reactions

- Lichenoid (interface)
- Psoriasiform
- Spongiform
- Vesicobullous
- Granulomatous
- Vasculopathic

Epidermis

- Maturation & keratin
- Pigment

Infections

- Bacteria, virus, fungus
- Parasites

Skin cancers:

- Melanocyte

Melanocytes

- Atypical naevus sy
- Lentigo maligna
- Melanoma in situ
- Malignant melanoma
- Amelanotic

Benign

- Seborrheic warts
- Naevi
- Lentigo
- Haemangiomas

- Squamous cell carcinoma (**SCC**)

Lesions

- Nodule
- Ulcer

Benign

- Bowens - SCC in situ
 - Actinic keratoses
-
- Anything scaly

- Basal cell carcinoma (**BCC**)

- Nodule
- Morphoeic

Benign

- Anything red


Skin cancer - Differential

- BCC
- SCC
- Melanoma
- Lentigo maligna
- Sarcoma
- Cutaneous lymphomas
- Adnexal tumours
- Etc...etc...

Skin cancer – Therapy

- 4mm excision margin
- Radiotherapy
- PDT – photodynamic therapy
- Cryotherapy
- Immunomodulators

Skin Types¹



1. Fitzpatrick, T. B. (1975). "Soleil et peau" [Sun and skin]. Journal de Médecine Esthétique (in French) (2): 33–34

Benign differential

Basal cell series

- Most common
- Red
- Pearled
- 85% head and neck¹
- East Yorkshire – 350,000 popⁿ
 - Goole-Spurn point-Flamborough: ?

Information sourced from Dr James Britton

1. Griffiths C, Barker J, Bleiker T, Chalmers R, Creamer D. *Rook's Textbook of Dermatology*, 9th ed. New Jersey: Wiley-Blackwell; 2016.





DermNetNZ.org





© Waikato District Health Board



DermNetNZ.org



DermNetNZ.org



Squamous series

- Second most common
- Most common form of symptomatic sun damage
 - AK > Bowens
- East Yorkshire – 350,000 popⁿ
 - Goole-Spurn point-Flamborough: ?



DermNetNZ.org





DermNetNZ.org



DermNetNZ.org



DermNetNZ.org



DermNetNZ.org

Melanocytic series

- Highest risk
- Highest stress
- Seborrheic warts most common brown thing
30+¹
- Naevi most common brown thing <30¹
- East Yorkshire – 350,000 popⁿ
 - Goole-Spurn point-Flamborough: ?

Information sourced from Dr James Britton

1. Griffiths C, Barker J, Bleiker T, Chalmers R, Creamer D. *Rook's Textbook of Dermatology*, 9th ed. New Jersey: Wiley-Blackwell; 2016.



DermNetNZ.org



DermNetNZ.org



DermNetNZ.org

Really rare things

- Sarcomas
- Lymphomas
- Merkel cell....
- Dermatofibrosarcoma protuberans

Management of skin cancer?

- Get an opinion
- Go to www.theworldhealthnet.co.uk
- Clinical partnership consultants report
 - Diagnosis
 - Treatment plan
 - Onward 2 week wait referral for you
 - Follow up online
- This is your online dermatology service

Skin cancer & AK – Therapy

- Immunomodulators
 - Diagnostic
 - will react if AK/Bowens/BCC – and treat
 - No reaction – reassuring benign
 - Bigger the reaction – better the cure
 - 3 week review is crucial
 - Reassure patient
 - Check it is reacting – if not, why not?
 - Efudix – 5Fluorouracil (5FU) – twice a day 1 month
 - Aldara – imiquimod
 - Monday, Wednesday, Friday 1 month – AK & Bowens
 - Monday to Friday for 6 weeks - BCC



Covered

- Melanoma – brown one (unless its red)
- SCC – scaly one
- BCC – red one
- Teledermatology – clinical partnership
 - access the dermatology pathway
 - Remote supervision of topical cancer therapy

Telemedicine update

- www.theworldhealthnet.co.uk
- Clinical partnership
 - UK registered dermatologists
 - 48 hour turnaround
 - 1700 new and follow up referrals per month
 - Working with south Yorkshire Cancer alliance team